

Tura

Product Factsheet

balma

Design: Piotr Kuchciński



Tura

Tura is a modular screen system that helps organise office space around the needs of its users. It makes it possible to create areas for focused work, collaboration and meetings without introducing permanent divisions. Different infills as well as stationary and mobile variants make it easier to adapt the interior to changing ways of working. The collection is complemented by a curved felt panel that introduces a soft, organic line into the layout.



Collection features

- **Flexible space planning:** creating zones for focused work, collaboration and meetings without the need for permanent architectural divisions.
- **Modular construction:** creating straight, corner and multi-directional layouts, with the option to extend and reconfigure them in response to changing needs.
- **Integration with workstations:** different panel widths and heights help organise the space around desks and separate adjacent workstations.
- **Visual comfort and privacy:** screening off the workstation helps reduce distracting stimuli and supports focus.
- **Support for collaboration:** dry-erase surfaces provide a place for writing down ideas, exchanging information and working together on projects.
- **Mobility:** individual screens on castors enable quick rearrangement and make it easy to adapt the space to current tasks.

Technical specification

Panels

- Melamine panel: 12 mm melamine board.
- Whiteboard panel: 18 mm board in white gloss. Surface for use with dry-erase markers.
- Solid felt panel: 12 mm felt.
- Perforated felt panel: 12 mm felt.
- Lamellar felt panel: made of vertical felt slats, 50 mm thick.
- Curved felt panel: profiled, milled felt panel with a 45° curve.
- Construction: Each panel features a reinforcing strip made of powder-coated metal, 3 mm thick.

Posts

- Powder-coated steel tube Ø 42 × 1.5 mm.

Bases

- Powder-coated metal; levelling feet and castors made of black plastic.

Panel types



High panels: melamine, dry-erase and felt panels: solid, perforated, slatted and curved panel; height 167.8 cm.



Low panels: melamine and solid or perforated felt panels; height 112.8 cm.



Low panels for desks: melamine and solid or perforated felt panels; height 112.8 cm.



• melamine panel



• dry-erase panel



• felt panel




• perforated felt panel



• slatted felt panel

Posts



- high: height 1676.5 cm
- low: height 1126.5 cm

Bases



- Base with levelling feet



- Base with castors



- Disc base

- bases designed for arranging low screens next to desks



L



T



X

Construction and configuration

- The Tura screen system consists of panels attached to steel posts mounted on bases. A complete configuration requires all three elements to be selected. The height of the posts must match the height of the panels, and only panels of the same height can be combined within one layout. The type of post depends on the number and direction of connections: end posts are used to attach one panel, while connecting posts are used for two, three or four panels. Bases are selected to suit the screen layout, its function and adjacent furniture. Bases with castors are recommended only for individual screens.

Colours and materials


Panels:

- Melamine board: selected colours from the Balma pattern book: white 2700, natural oak 0400, oak 0450, black 1100, ocher 1650, sienna 1950, hickory 2320.
- Whiteboard: white gloss 3400.
- Felt: full colour range from the Balma Felt Collection 2026.

Metal frames:

- Powder-coated metal: full colour range according to the Balma pattern book.


Dimensions



N2-001

netto: 18
brutto: 20


szt./pc./St.: 1
L: 1200 W: 1690 H: 50



N2-002

netto: 16
brutto: 17


szt./pc./St.: 1
L: 1000 W: 1690 H: 50



N2-003

netto: 13
brutto: 14


szt./pc./St.: 1
L: 800 W: 1690 H: 50



N2-004

netto: 10
brutto: 11


szt./pc./St.: 1
L: 600 W: 1690 H: 50



N2-011

netto: 28
brutto: 29


szt./pc./St.: 1
L: 1200 W: 1690 H: 50



N2-012

netto: 23
brutto: 25


szt./pc./St.: 1
L: 1000 W: 1690 H: 50



N2-013

netto: 19
brutto: 20


szt./pc./St.: 1
L: 800 W: 1690 H: 50



N2-014

netto: 14
brutto: 15


szt./pc./St.: 1
L: 600 W: 1690 H: 50



N2-021

netto: 14
brutto: 15


szt./pc./St.: 1
L: 1200 W: 1690 H: 50



N2-022

netto: 21
brutto: 22


szl./pc./St.: 1
L: 1000 W: 1690 H: 50



N2-023

netto: 16
brutto: 18


szl./pc./St.: 1
L: 800 W: 1690 H: 50



N2-024

netto: 12
brutto: 13


szl./pc./St.: 1
L: 600 W: 1690 H: 50



N2-031

netto: 23
brutto: 24


szl./pc./St.: 1
L: 1200 W: 1690 H: 50



N2-032

netto: 21
brutto: 22


szl./pc./St.: 1
L: 1000 W: 1690 H: 50



N2-033

netto: 17
brutto: 19


szl./pc./St.: 1
L: 800 W: 1690 H: 50



N2-034

netto: 14
brutto: 15


szl./pc./St.: 1
L: 600 W: 1690 H: 50



N2-041

netto: 10
brutto: 12


szl./pc./St.: 1
L: 1200 W: 1690 H: 60



N2-042


netto: 28
brutto: 29

szl./pc./St.: 1
L: 1000 W: 1690 H: 60




N2-043

 netto: 23
 brutto: 24
  szt./pc./St.: 1
 L: 800 W: 1690 H: 60




N2-044

 netto: 18
 brutto: 19
  szt./pc./St.: 1
 L: 600 W: 1690 H: 60




N2-025

 netto: 14
 brutto: 15
  szt./pc./St.: 1
 L: 1690 W: 1080 H: 100




N2-101

 netto: 13
 brutto: 14
  szt./pc./St.: 1
 L: 1200 W: 1140 H: 50




N2-102

 netto: 11
 brutto: 12
  szt./pc./St.: 1
 L: 1000 W: 1140 H: 50




N2-103

 netto: 9
 brutto: 10
  szt./pc./St.: 1
 L: 800 W: 1140 H: 50




N2-104

 netto: 7
 brutto: 7
  szt./pc./St.: 1
 L: 600 W: 1140 H: 50




N2-121

 netto: 10
 brutto: 11
  szt./pc./St.: 1
 L: 1200 W: 1140 H: 50



N2-122


 netto: 14
 brutto: 15
  szt./pc./St.: 1
 L: 1000 W: 1140 H: 50



N2-123

netto: 11
brutto: 12


szt./pc./St.: 1
L: 800 W: 1140 H: 50



N2-124

netto: 8
brutto: 9


szt./pc./St.: 1
L: 600 W: 1140 H: 50



N2-131

netto: 15
brutto: 16


szt./pc./St.: 1
L: 1200 W: 1140 H: 50



N2-132

netto: 12
brutto: 13


szt./pc./St.: 1
L: 1000 W: 1140 H: 50



N2-133

netto: 10
brutto: 11


szt./pc./St.: 1
L: 800 W: 1140 H: 50



N2-134

netto: 7
brutto: 8


szt./pc./St.: 1
L: 600 W: 1140 H: 50



N2-201

netto: 19
brutto: 21


szt./pc./St.: 1
L: 1840 W: 1140 H: 50



N2-202

netto: 17
brutto: 19


szt./pc./St.: 1
L: 1640 W: 1140 H: 50



N2-203

netto: 15
brutto: 16


szt./pc./St.: 1
L: 1440 W: 1140 H: 50



N2-204

netto: 13
brutto: 14


szt./pc./St.: 1
L: 1240 W: 1140 H: 50



N2-205

netto: 11
brutto: 12


szt./pc./St.: 1
L: 1040 W: 1140 H: 50



N2-206

netto: 9
brutto: 10


szt./pc./St.: 1
L: 840 W: 1140 H: 50



N2-207

netto: 8
brutto: 9


szt./pc./St.: 1
L: 740 W: 1140 H: 50



N2-208

netto: 7
brutto: 8


szt./pc./St.: 1
L: 640 W: 1140 H: 50



N2-221

netto: 27
brutto: 29


szt./pc./St.: 1
L: 1840 W: 1140 H: 50



N2-222

netto: 24
brutto: 26


szt./pc./St.: 1
L: 1640 W: 1140 H: 50



N2-223

netto: 21
brutto: 22


szt./pc./St.: 1
L: 1440 W: 1140 H: 50



N2-224

netto: 18
brutto: 19


szt./pc./St.: 1
L: 1240 W: 1140 H: 50



N2-225

 netto: 15
brutto: 16


 szt./pc./St.: 1
L: 1040 W: 1140 H: 50



N2-226

 netto: 12
brutto: 13


 szt./pc./St.: 1
L: 840 W: 1140 H: 50



N2-227

 netto: 11
brutto: 11


 szt./pc./St.: 1
L: 740 W: 1140 H: 50



N2-228

 netto: 9
brutto: 10


 szt./pc./St.: 1
L: 640 W: 1140 H: 50



N2-231

 netto: 23
brutto: 25


 szt./pc./St.: 1
L: 1840 W: 1140 H: 50



N2-232

 netto: 20
brutto: 22


 szt./pc./St.: 1
L: 1640 W: 1140 H: 50



N2-233

 netto: 18
brutto: 19


 szt./pc./St.: 1
L: 1440 W: 1140 H: 50



N2-234

 netto: 15
brutto: 17


 szt./pc./St.: 1
L: 1240 W: 1140 H: 50



N2-235

 netto: 13
brutto: 14


 szt./pc./St.: 1
L: 1040 W: 1140 H: 50



N2-236

netto: 10
brutto: 11


szt./pc./St.: 1
L: 840 W: 1140 H: 50



N2-237

netto: 9
brutto: 10


szt./pc./St.: 1
L: 740 W: 1140 H: 50



N2-238

netto: 8
brutto: 9


szt./pc./St.: 1
L: 640 W: 1140 H: 50



N2-050

netto: 3
brutto: 5


szt./pc./St.: 1
L: 80 W: 1690 H: 50



N2-051

netto: 3
brutto: 5


szt./pc./St.: 1
L: 80 W: 1690 H: 80



N2-052

netto: 3
brutto: 5


szt./pc./St.: 1
L: 120 W: 1690 H: 50



N2-053

netto: 3
brutto: 5


szt./pc./St.: 1
L: 120 W: 1690 H: 80



N2-054

netto: 3
brutto: 5


szt./pc./St.: 1
L: 120 W: 1690 H: 120



N2-150

netto: 2
brutto: 3


szt./pc./St.: 1
L: 80 W: 1140 H: 50



N2-151

netto: 2
brutto: 3


szt./pc./St.: 1
L: 80 W: 1140 H: 80



N2-152

netto: 2
brutto: 3


szt./pc./St.: 1
L: 120 W: 1140 H: 50



N2-153

netto: 2
brutto: 3


szt./pc./St.: 1
L: 120 W: 1140 H: 80



N2-154

netto: 2
brutto: 3


szt./pc./St.: 1
L: 120 W: 1140 H: 120



N2-060

netto: 6
brutto: 6


szt./pc./St.: 1
L: 360 W: 360 H: 130



N2-061

netto: 1
brutto: 1


szt./pc./St.: 1
L: 440 W: 130 H: 50



N2-062

netto: 4
brutto: 4


szt./pc./St.: 1
L: 450 W: 140 H: 100



N2-063

netto: 1
brutto: 1


szt./pc./St.: 1
L: 360 W: 360 H: 130



N2-064

netto: 1
brutto: 2

szt./pc./St.: 1
L: 360 W: 360 H: 130



N2-065



netto: 2
brutto: 2



szt. /pc. /St.: 1
L: 360 W: 360 H: 130

The dimensions and data presented in the technical sheet are for illustrative and reference purposes only. Due to the specificity of the furniture production process and the properties of the materials used (e.g., the elasticity and thickness of upholstery foam, the natural movement of wood), the actual dimensions and weights of the finished product may minimally differ from the stated values due to manufacturing tolerance.